New Zealand Department of Agriculture.

THE NEW ZEALAND JOURNAL OF AGRICULTURE.

VOL. XXIII.

(JULY-DECEMBER, 1921.)

Published by direction of
The Hon. W. NOSWORTHY,
Minister of Agriculture.

Editor: R. H. HOOPER.

WELLINGTON.
BY AUTHORITY: MARCUS F. MARKS, GOVERNMENT PRINTER.

1921.

THE NEW ZEALAND JOURNAL OF AGRICULTURE.

VOLUME XXIII.

(July – December, 1921.)

GENERAL INDEX.

A.

Abortion disease of cattle : Preventive measures and treatment, 1.
Abortion disease : The uterine douche, 127, 316.
Acacia Baileyana, 234.
Agricultural shows, forthcoming, 192, 320, 383.
Alexander, W.—Winton Experimental Area : Notes on recent operations, 228.
Answers to inquiries, 61, 124, 186, 249, 313, 381.
Ants (flying) and poultry, 6.
Aphelinus mali, the introduction into New Zealand of, 7.
Apiary, the (monthly notes), 58, 119, 182, 244, 309, 377.
Apple and pear black-spot, a note recording the presence in New Zealand of the perithecial stages of, 219.
Apple and pear black-spot organisms, the significance of the development in New Zealand of the perithecia of the, 215.
Apple-packing ready-reckoner, an, 366.
Apple-trees, test for the control of leaf-hopper on, 110.
Ashburton Experimental Farm : Notes on operations, season 1920–21, 148.
Association herd-testing : Summary of results for 1920–21 season, 92.
Aston, B. C.—
Improvement of poor pasture : The Wallaceville experiments, 20.
The law and chemistry of fertilizers, 129, 193.
The classification of virgin lands of the North Island, 266.
Basic slag and rock phosphate, 302.
Sugar-beet trials and analyses, 361.
Atkinson, E. H.—Phormium tenax : The New Zealand fibre industry, 103, 298.
Australia, importation of plants into, 343.

B.

Barberry as a noxious weed, 112.
Barley as a horse-feed, 335.
Basic slag and rock phosphate, 302.
Beech forests of New Zealand, the southern, 353.
Bees, foul-brood in, 234.
Birks, L.—Electric power for milking-plants, 99.
Blackberry-control, gas-lime for, 250.
Blackleg, inoculation against, 371.
Black-spot, apple and pear, a note recording the presence in New Zealand of the perithecial stages of the, 219.
Black-spot organisms, apple and pear, the significance of the development in New Zealand of the, 215.
Bleeding from the nose, horse, 126.
Blood in the milk, 249.
Blowing of cow on clover, 382.
Blue-gum, the gall chalcid of, 282.
Board of Agriculture : Appointment of Mr. E. D. McLennan, 371.
Bobs wheat, 29.
Border method of irrigation at Galloway Experimental Area, trial of, 344.
Boys' agricultural competitions, Otago, 167.
Boys' and girls' agricultural clubs : The South Taranaki competitions, 36.
Brown, F. C. — Poultry - keeping (monthly notes), 54, 118, 180, 242, 308, 375.
Bud-selection, improvement of fruits by, 319.

C.

Californian-thistle control, 109.
Campbell, J. A. — Standard fruit-grading and packing : Ground-plan of packing-house and air-cooled store, 41.

Campbell, J. A., and Instructors—
The orchard (monthly notes), 51, 113, 177, 240.
Campbell, J. A., and W. H. Taylor—
Lemon-culture: Directions for New Zealand growers, 330.
Cattle, deficiency disease in, 126.
Cattle, parasitic gastro-enteritis in young, 313.
Central Otago, irrigation in, 344.
Certificate-of-record testing, 48, 235, 276, 367.
Chemistry of fertilizers, the law and, 129, 193.
Cherry-plum trees, non-bearing, 187.
Chou moellier, growing, 250.
Classification of virgin lands of the North Island, the, 266.
Classification of wheat for the 1921–22 guarantee, 64.
Clover for swamp land, strawberry, 314.
Clover, insect pests of lucerne and, 156.
Clover on the Taieri Plain, white, 162.
Clover, sweet, 188.
Clubs, boys' and girls' agricultural, 36.
Cockayne, A. H.—
Fireblight and its control: The hawthorn question, 30.
The feeding of dairy cows: Supplementary fodder crops and maximum returns in New Zealand dairying, 65.
Cockayne, L.—
An economic investigation of the montane tussock-grassland of New Zealand, 137.
The southern-beech (*Nothofagus*) forests of New Zealand: Their economic significance, 353.
Cocksfoot for seed, growing, 125.
Commercial potato-growing, 25, 76, 204, 336.
Competitions, farmers' field, 173.
Competitions, Otago boys' agricultural, 167.
Competitions, trophies for farmers' field, 312.
Contagious abortion of cattle, 1.
Contagious abortion: The uterine douche, 127, 316.
Contagious mammitis, 380.
Control of eelworm in tomato-houses: Experiments at Lower Hutt, 225.
Cook, J. G.—Wool-handling reminders, 288.
Cow blown on clover, treatment for, 382.
Cow-feed, peas for, 250.
Cow, removing obstruction in throat of, 251.
Cow, teat-obstruction in, 314.
Cows, feeding of dairy, 65.
Cows, lick for bone-chewing, 62.
Cows on test, concentrates for, 188.
Cows, testing of purebred dairy, 48, 235, 276, 367.
Cows, turnips and redwater in, 186.
Crop statistics for season 1920–21, 254.
Cunningham, G. H.—
Some recent changes in the names of plant-diseases, 103, 270.
A note recording the presence in New Zealand of the perithecial stages of apple and pear black-spot, 219.
Curtis, K. M.—The significance of the development in New Zealand of the perithecia of the apple and pear black-spot organisms, 215.

D.

Deem, J. W.—
Boys' and girls' agricultural clubs: The South Taranaki competitions, 36.
Marton Experimental Area: Notes on operations for season 1920–21, 45.
Farmers' field competitions: Crop data in the Taranaki–Wanganui districts, 173.
Stratford Model Dairy Farm: Review of operations and crop results, 221.
Waimate West Demonstration Area: Operations for season 1920–21, 303.
Deficiency disease in cattle, 126.

E.

Economic investigation of the montane tussock-grassland of New Zealand, an: The grassland of the Humboldt Mountains established since the burning of their forest covering, 137.
Eelworm in tomato-houses, control of, 225.
Egg-preservative, 381.
Electric power for milking-plants, 99.
Ellis, A. F.—
Fertilizers for top-dressing, 81.
Progress of the Nauru and Ocean Island phosphate industry, 212.
Export of fruit to England, 318.

F.

Farmers' field competitions: Crop data in the Taranaki–Wanganui districts, 173.
Farmers' field competitions, trophies for, 312.
Farmers' school at Ruakura, 111.
Farm hedges, 284.
Feeding of dairy cows, the: Supplementary fodder crops and maximum returns in New Zealand dairying, 65.
Fencing Act and wire, the, 112.
Fertilizer question in lucerne-culture, the, 363.

Fertilizers Act, breaches of the, 60.
Fertilizers, examination of, 192.
Fertilizers for fruit-trees and the flower-garden, 61.
Fertilizers for tomatoes, 315.
Fertilizers for top-dressing, 81.
Fertilizers, importation of, 128, 254.
Fertilizers, the law and chemistry of, 129, 193.
Fertilizers, valuation of, 195.
Fibre industry, the New Zealand, 103, 298.
Field-peas for hay, 381.
Fig-tree with non-maturing fruit, 249.
Fiji, importation of plants into, 312.
Fireblight and its control: The hawthorn question, 30.
Flies about cow-bails, 189.
Flying-ants and poultry, 6.
Fodder crops and maximum returns in New Zealand dairying, supplementary, 65.
Forests of New Zealand, the southern-beech (*Nothofagus*), 353.
Foul-brood in bees, 234.
Fowls for setting, 316.
Foxglove, control of, 125.
Freezing works in New Zealand, meat-, 384.
Fruit-cases, fixing labels on, 136.
Fruit grading and packing: Ground-plan of packing-house and air-cooled store, 41.
Fruit to England, export of, 318.
Fruits, improvement of, by bud-selection, 319.
Fungoid diseases attacking lemons: Spraying-tests in Auckland groves, 108.

G.

Gall chalcid of blue-gum, the, 282.
Galloway Experimental Area, trial of border method of irrigation at, 344.
Garden, the (monthly notes), 59, 122, 184, 246, 311, 379.
Gas-lime for blackberry-control, 250.
Girls' and boys' agricultural clubs: The South Taranaki competitions, 36.
Goodwin, W. T., and Instructors—The orchard (monthly notes), 305, 372.
Gore Experimental Area: Operations in season 1920–21, 289.
Gorse-seed, harvesting, 314.
Goudie, H. A.—Sand-dune reclamation: Activities of the State Forest Service, 340.
Grape-culture, indoor, 365.
Grass-grub, life-history of the New Zealand, 199.
Grasslands of New Zealand, the: Principles of pasture establishment, 257, 321.
Grass-seed from Australia, importation of, 256.
Great Britain, introduction of horses, asses, and mules into, 128.
Green-hide leather, making, 124, 381.
Gum land, linseed-growing on, 234.
Gum land, raw rock phosphate and, 364.

H.

Hawthorn and fireblight, 214, 297.
Hawthorn hedges, method of destroying, 124.
Hawthorn question in fireblight-control, the, 30.
Hay, field-peas for, 381.
Hay, ragwort in, 61.
Hedges, farm, 284.
Herd-testing, association, 92.
Honey, the water content of, 95.
Horse bleeding from the nose, 126.
Horse-feed, barley as a, 335.
Horse, itching heels in, 314.
Horse, lampas in, 251.
Horse, scouring in, 188.
Horse, treating, for worms, 188.
Horses, asses, and mules, introduction into Great Britain of, 128.
Howard, C. W.—Control of eelworm in tomato-houses: Experiments at Lower Hutt, 225.
Humboldt Mountains, the grassland of the, 137.
Hyde, W. C.—
Test for the control of leaf-hopper on apple-trees, 110.
Tomato variety test at Nelson, 171.

I.

Importation of fertilizers—
June quarter, 128.
September quarter, 254.
Importation of grass-seed from Australia, 256.
Importation of plants into Australia, 343.
Improvement of poor pasture: The Wallaceville experiments, 20.
Inkweed on bush clearings, 187.
Inquiries, answers to, 61, 124, 186, 249, 313, 381.
Insect pests of lucerne and clover: Observations in the Marlborough seed-growing area, 156.
International Institute of Agriculture, "donatory members" of the, 40.
Introduction into New Zealand of *Aphelinus mali*, a valuable parasite of the woolly aphis, the, 7.
Irrigation in Central Otago: Border-method trial at Galloway Experimental Area, 344.

J.

Jacobsen, F. A.—
The water content of honey: New Zealand honey's high food value, 95.
The apiary (monthly notes), 119, 182, 244, 309, 377.

K.

Kikuyu-grass on northern gum lands, 203.
Kirk, retirement of Mr. T. W., 51.

L.

Labels on fruit-cases, fixing, 136.
Lamb-fattening, green cereals and rape for, 250.
Lambing: North Island estimate, 320.
Lambing, the season's, 383.
Lambs, hand-feeding of, 315.
Lampas in horse, 251.
Land for discharged soldiers, 128, 192, 256, 316, 380.
Lands of the North Island, the classification of virgin, 266.
Law and chemistry of fertilizers, the, 129, 193.
Leaf-hopper on apple-trees, test for control of, 110.
Leather, making green-hide, 124, 381.
Lemon-culture: Directions for New Zealand growers, 330.
Lemons, fungoid diseases attacking, 108.
Levy, E. B.—The grasslands of New Zealand: Principles of pasture establishment, 257, 321.
Lick for bone-chewing cows, 62.
Life-history of the New Zealand grass-grub, 199.
Lime and agriculture, 352.
Lime and crushed limestone, sea-shell, 249.
Linseed-growing on gum land, 234.
Live-stock in New Zealand: 1921, 317.
Live-stock statistics, 127.
Lucerne and clover, insect pests of, 156.
Lucerne experiments at Ashburton: The fertilizer question, 363.
Lucerne, large-leaved, 62.

M.

Mammitis, contagious, 380.
Manure for fruit-trees and the flower-garden, 61.
Marks, J. R., and R. B. Tennent—
Irrigation in Central Otago: Border-method trial at Galloway Experimental Area, 344.
Marton Experimental Area: Notes on operations for season 1920–21, 45.
McGowan, H. E.—Commercial potato-growing, 25, 76, 204, 336.
Meat-freezing works in New Zealand, 1921–22, 384.
Midge, the pear-leaf-curling, 84.
Milk, blood in the, 249.
Milking-plants, electric power for, 99.
Miller, D.—
The pear-leaf-curling midge, 84.
Life-history of the New Zealand grass-grub, 199.
The gall chalcid of blue-gum, 282.
Molasses and straw chaff for stock, 125.
Monavale Queen Bess, some pedigree notes on, 276.
Montane tussock-grassland of New Zealand, an economic investigation of the, 137.
Myers, J. G.—Insect pests of lucerne and clover: Observations in the Marlborough seed-growing area, 156.

N.

Names of plant-diseases, some recent changes in the, 103, 270.
Nauru and Ocean Island phosphate industry, progress of the, 212.
New Zealand Institute, fellowship of the, 239.
Note recording the presence in New Zealand of the perithecial stages of apple and pear black-spot, a, 219.
Noxious weed, barberry as a, 112.
Nosworthy, W.—The world wool position, 255.

O.

Oats and wheat, estimated areas under, 320.
Oats and wheat threshings, 60.
Orchard, the (monthly notes), 51, 113, 177, 240, 305, 372.
Otago boys' agricultural competitions, 167.

P.

Parasitic gastro-enteritis in young cattle, 313.
Pasture establishment, principles of, 257, 321.
Pasture, improvement of poor, 20.
Patterson, T. H.—
Kikuyu-grass on northern gum lands, 203.
Raw rock phosphate and gum land, 364.
Pear-leaf-curling midge, the, 84.
Peas for cow-feed, 250.
Peas for hay, field-, 381.
Phormium tenax and South Africa, 19.
Phormium tenax: The New Zealand fibre industry, 103, 298.

Phosphate and gum land, raw rock, 364.
Phosphate, basic slag and rock, 302.
Phosphate industry, progress of the Nauru and Ocean Island, 212.
Pig-carcase, scalding a, 62.
Pigs, feeding of, 124.
Pigs, mortality among young, 381.
Pinus insignis for shelter, topping and trimming, 109.
Piripiri, control of, 239, 313.
Plant-diseases, some recent changes in the names of, 103, 270.
Poisoning, strychnine, 214.
Potato-growing, commercial, 25, 76, 204, 336.
Poultry, flying-ants and, 6.
Poultry-keeping (monthly notes), 54, 118, 180, 242, 308, 375.
Poultry, rape for, 360.
Progress of the Nauru and Ocean Island phosphate industry, 212.

Q.

Guarantine regulations, 40.

R.

Rabbit districts, new, 211, 312, 371.
Ragwort, control of, 315.
Ragwort in hay, 61.
Rape for poultry, 360.
Raw rock phosphate and gum land, 364.
Ready-reckoner, an apple-packing, 366.
Reclamation, sand-dune, 340.
Redwater in cows, turnips and, 186.
Reid, H. A.—Abortion disease of cattle, 1, 127.
Ruakura, farmers' school at, 111.
Ruakura, soldiers' quarters at, 110.

S.

Sale of pedigree cattle, Weraroa, 297.
Samples and specimens, 64, 239.
Sand-dune reclamation: Activities of the State Forest Service, 340.
Scalding a pig-carcase, 62.
Scouring in horse, 188.
Seaweed as a manure, 125.
Seed-testing, charges for, 312.
Separator, the farm, 343.
Sheep flocks and the world wool position, reduced, 255.
Sheep-marking, use of deleterious materials in, 256.
Sheep returns, 1921, annual, 252.
Shows, forthcoming agricultural, 192, 320, 383.
Significance of the development in New Zealand of the perithecia of the apple and pear black-spot organisms, the, 215.
Silo-construction in the United States, 191.
Singleton, W. M.—
Testing of purebred dairy cows, 48, 235, 276, 367.
Association herd-testing: Summary of results for 1920–21 season, 92.
Smith, W. W. — Flying-ants and poultry, 6.
Soil-analysis, 80.
Soldiers, land for discharged, 128, 192, 256, 316, 380.
Soldiers' quarters at Ruakura, 110.
Some recent changes in the names of plant-diseases, 103, 270.
Sorghum as a fodder for stock, 126.
Southern-beech (*Nothofagus*) forests of New Zealand, the: Their economic significance, 353.
Standard fruit-grading and packing: Ground-plan of packing-house and air-cooled store, 41.
Statistics for season 1920–21, crop, 254.
Statistics, live-stock, 127.
Stock slaughtered, 1920–21, 248.
Stratford Model Dairy Farm: Review of operations and crop results, 221.
Strawberry-clover for swamp land, 314.
Strychnine poison: Caution needed, 214.
Sugar-beet trials and analyses, 361.
Superphosphate for wheat after liming, 187.
Supplementary fodder crops and maximum returns in New Zealand dairying, 65.
Sweet clover, 188.

T.

Taylor, W. H.—
The garden (monthly notes), 59, 122, 184, 246, 311, 379.
Farm hedges, 284.
Taylor, W. H., and J. A. Campbell—Lemon-culture: Directions for New Zealand growers, 330.
Teat-obstruction in cow, 314.
Tennent, R. B.—
White clover on the Taieri Plain, 162.
Otago boys' agricultural competitions, 167.
Gore Experimental Area: Operations in season 1920–21, 289.
Tennent, R. B., and J. R. Marks—Irrigation in Central Otago: Border-method trial at Galloway Experimental Area, 344.
Test for control of leaf-hopper on apple-trees, 110.
Testing of purebred dairy cows, 48, 235, 276, 367.
Threshings, wheat and oats, 60.

Tillyard, R. J.—The introduction into New Zealand of *Aphelinus mali*, a valuable parasite of the woolly aphis, 7.
Tomato-houses, control of eelworm in, 225.
Tomato variety test at Nelson, 171.
Tomatoes, fertilizers for, 315.
Tomatoes under glass, 185.
Top-dressing, fertilizers for, 81.
Transition of pastures, 321.
Turnip-manuring, 176.
Turnips and redwater in cows, 186.
Tussock-grassland of New Zealand, an economic investigation of the, 137.
Twin calves and breeding, 251.

V.

Viticulture (monthly notes), 57, 120, 183, 245, 310, 378.

W.

Waimate West Demonstration Area: Operations for season 1920–21, 303.
Wallaceville pasture experiments, 20.
Ward, F. E.—
Ashburton Experimental Farm: Notes on operations, season 1920–21, 148.
Lucerne experiments at Ashburton: The fertilizer question, 363.
Water content of honey: New Zealand honey's high food value, 95.
Weraroa sale of pedigree cattle, 297.
Westbrooke, G. V.—The apiary (monthly notes), 58.
Wheat after liming, superphosphate for, 187.
Wheat and oats, estimated areas under, 320.
Wheat and oats threshings, 60.
Wheat, Bobs, 29.
Wheat control: 1921–22 crop futures, 256.
Wheat for 1921–22 guarantee, classification of, 64.
White clover on the Taieri Plain, 162.
Winemaking in New Zealand, 365.
Winton Experimental Area: Notes on recent operations, 228.
Wire, the Fencing Act and, 112.
Woodfin, J. C.—Viticulture (monthly notes), 57, 120, 183, 245, 310, 378.
Woodlice in hives, 250.
Woodlice pest, the, 382.
Wool Committee, the New Zealand, 127.
Wool-growing, 147.
Wool-handling reminders, 288.
Wool industry regulations, 63.
Wool-marketing control, New Zealand, 189.
Wool position, the world, 255.
Wool, storing, 61.
Woolly aphis, a valuable parasite of the, 7.
Work for the coming month, 51, 113, 177, 240, 305, 372.
Worms, treating horse for, 188.

ILLUSTRATIONS.

Page

The introduction into New Zealand of *Aphelinus mali*, a valuable parasite of the woolly aphis—
- Special cage used for the breeding of *Aphelinus mali* 9
- Diagrams showing the method of using glass tubes for the placing-out of living *Aphelinus* on infested apple-trees 13
- Graph to show the daily number of emergences of *Aphelinus mali* of the first New Zealand brood, correlated with mean daily temperature and with rainfall 15
- Adult male *Aphelinus mali* 17
- Two clusters of woolly aphis parasitized by *Aphelinus mali* 18
- The right-hand cluster of woolly aphis in previous figure shown enlarged 18

Commercial potato-growing: Guidance for New Zealand conditions—
- A good type and quality of table potato for the market 26
- Sprouting of seed-potatoes: The right way and the wrong way .. 27
- Sprouting-tray 28

Standard fruit grading and packing: Ground-plan of packing-house and air-cooled store 43

Testing of purebred dairy cows—
- Maniaroa Princess 49
- Meadowvale Pegasus 49

Commercial potato-growing—
- Planting potatoes with the mould-plough and by hand 77
- Planting potatoes with a machine planter (picker type) 78
- Single field of 130 acres of potatoes planted by machine (picker type) at Willowbridge 79

The pear-leaf-curling midge: Notes on the Auckland infestation—
- Adult female pear-leaf midge 85
- Adult midge at rest on pear-tree twig 85
- View showing effect of midge infestation on pear nursery stock .. 83
- Nursery stock: A grafted variety infested by midge; a shoot from the Chinese stock, unattacked 87
- Young pear-leaves infested by midge-larvæ 88
- Pear-leaves completely killed by midge-larvæ 88
- An infested pear-leaf uncurled, showing midge-larvæ 90
- Eight-year-old pear-tree with its terminals defoliated by the midge-larvæ 91
- Eight-year-old tree with terminals previously defoliated, but now showing normal growth, the midge being in the ground 91
- Pear-shoot showing periods of infestation and normal growth .. 91

Electric power for milking-plants—
- Curves of monthly energy-consumption for the milking-plants tested .. 100
- Electrically driven dairy at Sunnyside Hospital, Christchurch .. 102

Phormium tenax: The New Zealand fibre industry—
- Bale of phormium for export, showing tags 105
- Specimen of an inner tag 105
- An outer tag 105
- Maori hand-dressed phormium-fibre, showing extra fineness and pliability; ordinary machine-dressed sample 106

Farmers' school at Ruakura: Group of farmers, visitors, and staff at the formal opening of the first week's school 111

A demonstration by the Chief Poultry Instructor, Mr. F. C. Brown, at the recent farmers' school, Ruakura 123

An economic investigation of the montane tussock-grassland of New Zealand: The grassland of the Humboldt Mountains established since the burning of their forest covering—
- View of portion of the sown area on the Humboldt Mountains .. 141
- General view of an extensive piece of the sown grassland, showing the ground completely covered 141
- Fence at 1,500 ft. altitude separating the heavily grazed from the lightly grazed area, where a tall growth of cocksfoot can be seen 174
- View of the mass of tree-fuchsia which, to the north of Kinloch Creek, has become established since 1895 143
- Yorkshire fog growing in damp ground closely cropped by sheep, while behind it is hardly eaten at all 145
- View of piece of the green raoulia association at nearly 1,800 ft. altitude 145

Page

Insect pests of lucerne and clover: Observations in the Marlborough seed-growing area—
Chloridea obsoleta (tomato-caterpillar): Caterpillars; adult moths; and pupa 157
Aphis bakeri: Winged and wingless females 158
Bruchophagus funebris (clover-seed chalcid): Adult chalcid; larva; and pupa 159
The clover-seed chalcid: Egg; larva in hollow lucerne-seed; lucerne-seeds hollowed out by chalcid; and cluster of lucerne seed-pods from which adult chalcids have emerged 160
Adult *Reduviolus* 161
Otago boys' agricultural competitions—
Green Island school competitors (season 1920-21) 167
General view of the Beaumont plots 169
Farmers' field competitions: Judging a swede crop in the Otakeho field competition 174
Life-history of the New Zealand grass-grub—
Adult of *Odontria zealandica* 200
Adult of *O. obscura* 200
Adult of *Eucolaspis brunneus* 200
Larva of *O. zealandica* 200
Pupa of *O. zealandica* 200
Larvæ of *O. zealandica* turned up to the surface, and immediately burrowing into the soil 201
Diagram showing the seasonal changes in the life-cycle of the main generation of *O. zealandica* 202
Commercial potato-growing—
Moulding up potato crop with a double moulder 205
Spraying with burgundy mixture 206
Potato affected with powdery scab; tuber affected with ordinary scab 209
Progress of the Nauru and Ocean Island phosphate industry—
Phosphate workings at Nauru, showing cableway 212
Loading trucks with phosphate at Nauru 213
A note recording the presence in New Zealand of the perithecial stages of apple and pear black-spot: Perfect or winter-spore form of black-spot fungus 220
Stratford Model Dairy Farm: Main farm buildings 222
Winton Experimental Area: One of the netted enclosures used for recording growth of pasture 229
Testing of purebred dairy cows—
Rosevale Colantha 237
Rainbow's Gleam 237
The grasslands of New Zealand: Principles of pasture establishment—
Cocksfoot, within the plantation, over twenty years old. Under grazed conditions, outside the plantation, danthonia has replaced the cocksfoot 259
Permanent pasture where the sown species, rye-grass and red clover, have been entirely replaced by rib-grass, suckling-clover, and goose-grass 259
Permanent pasture on good average first-class land 261
Showing the temporary nature of the grass root-system 261
A small patch of paspalum grazed quite close, while the mass of feed—perennial rye-grass, cocksfoot, and strawberry clover—is growing rank 262
Tall fescue in excess in a permanent pasture of crested dogstail, cocksfoot, perennial rye-grass, Poa trivialis, and white clover 262
Cocksfoot pasture without clovers, showing dried-up, stunted appearance 264
Cocksfoot field, showing vigorous growth on patches manured by cattle-droppings 264
White clover as a companion plant to perennial rye-grass 265
The gall chalcid of blue-gum: A preliminary note—
Adult gall chalcid 282
Blue-gum tree infested and almost killed by the gall chalcid 283
Portion of blue-gum branch, showing gall chalcid infestation 283
Gum-tree scale (*Eriococcus coriaceous*)—to be distinguished from the gall chalcid 283
Gore Experimental Area: Operations in season 1920–21—
Chou moellier at Gore Experimental Area 292
The lucerne stand at Gore Experimental Area 295

	Page
The grasslands of New Zealand: Principles of pasture establishment—	
Showing rapid growth of perennial and Italian rye-grass a few weeks after sowing	323
A well-constituted pasture in its third year, comprised mainly of cocksfoot, crested dogstail, perennial rye-grass, timothy, and white clover	323
A poorly constituted pasture, four years old, where transition has set in	324
Nature's selection of a plant-form to cover a dry river-bed shingle deposit—a cushion-like plant (*Raoulia lutescens*) most fitted to survive under this extremely desiccating environment	324
Bare ground between cocksfoot tussocks occupied by hair-grass, a useless annual plant	326
Association of rib-grass and catsear in a five-year-old pasture	326
Pasture fifteen years old, mainly catsear, field-daisy, ox-eye daisy, rib-grass, and red-top, with field-daisy becoming dominant	327
Catsear succession in pasture twenty-five years old	327
Six- to eight-year-old pasture in which red-top has come in and displaced the more useful elements	329
Danthonia succession. Danthonia pilosa displacing an association of rib-grass, field-daisy, and ox-eye daisy	329
Commercial potato-growing—	
Potato-digging machine	337
Rear view of digger, showing work done	337
Potato-grading machine	339
Irrigation in Central Otago: Border-method trial at Galloway Experimental Area—	
Diagrammatic plan of area at Galloway laid out in border method of irrigation	345
Cross-section of levee in border method	345
General view of the land at Galloway Experimental Area laid out in the border method	347
Closer view of head ditch, check-boxes, and checks	347
One of the check-boxes built in bank of head ditch	347
Showing the extent of ground irrigated in check 4 after the water had been flowing fifteen minutes	348
Watching the experiments	348
The southern-beech (*Nothofagus*) forests of New Zealand: Their economic significance—	
View showing young southern-beeches from which the first hybrid specimens were collected by Dr. Cockayne	354
Some of the hybrid forms between the red southern-beech and the mountain southern-beech, collected from the young trees shown in previous figure	355
Showing young plants of southern-beech gradually increasing in size in accordance with the gradual increase of light. Forest between Elfin Bay and Rere Lake	358
Raw rock phosphate and gum land: Autumn-sown grass plots at Puwera Experimental Area	365
Testing of purebred dairy cows—	
Oakwood Rambler	369
Ngatina	369